

eExam Question Bank

Coursecode:

Choose Coursecode

Show entriesSearch:

<input type="checkbox"/>	Question Type	Question	A	B	C	D	Answer	Remark
<input type="checkbox"/>	FBQ	A place where bee are kept or honey are produced is called <input type="text"/>	apiary					<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	The insectivores are primitive insect-eating mammals which occur in most parts of the world other than Australia and <input type="text"/>	South America.					<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	The most significant fishery sector in terms of people engaged in or dependent upon it especially in rural areas is <input type="text"/>	Artisanal fisheries	Artisanal				<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	The study of fresh water ecosystems is known as <input type="text"/>	limnology					<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	Fish should be fed 3-8 times daily at <input type="text"/> percentage body weight	0.05	five percent				<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	How many cultural fish species do we have in Nigeria? <input type="text"/>	199	one hundred				<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	<input type="text"/> refers to the medium in which the fish will be raised	Culture system					<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	<input type="text"/> refers to the production of more than on species of fish within an enclosure (pond/fish tank) during a particular production cycle	Polyculture system					<input type="button" value="eExam"/>
<input type="checkbox"/>	FBQ	What is said to accounts for over 60% of the total cost of aquaculture production <input type="text"/>	fish feeding	feeding				<input type="button" value="eExam"/>

<input type="checkbox"/>								
<input type="checkbox"/>	FBQ	From the following option 1-4:(1.preserve fish and wildlife diversity ; 2. increase community livelihood ; 3. provide socio-economic benefit to both consumers and farmers; 4. provide scientific basis for research) Which of these is not primary reason for advocating for sustainability of the natural resources? <input type="text"/>	provide scientific basis for research					eExam
<input type="checkbox"/>	FBQ	To achieve sustainable biodiversity resources restriction of fishing to certain areas of the coast is often refers to as <input type="text"/>	Close area					eExam
<input type="checkbox"/>	FBQ	The <input type="text"/> ___an external shield-like bony plate, or a modified, thickened scale that often is keeled or spiny, or a projecting, modified (rough and strongly ridged) scale	scute					eExam
<input type="checkbox"/>	FBQ	the gill rakers are protected by the <input type="text"/> ___a hard disclike plate that is a continuum of the rest of the fish body.	opercula plate					eExam
<input type="checkbox"/>	FBQ	Placoid Scale is also called <input type="text"/>	dermal denticles					eExam
<input type="checkbox"/>	FBQ	The <input type="text"/> ___is flat, basal-looking scales that cover a fish body with little overlapping	Ganoid Scale					eExam
<input type="checkbox"/>	FBQ	Ctenopoma kingsleyae has <input type="text"/> ___scale	Ctenoid					eExam
<input type="checkbox"/>	FBQ	<input type="text"/> ___scales with growth rings on the spines cover one edge at the posterior surface of the scale making it to be rough to touch	Ctenoid Scale					eExam
<input type="checkbox"/>	FBQ	is small oval-shaped scales with growth rings cyclic in shape at the exposed margins and this gives fish species having it smooth body surface <input type="text"/>	Cycloid Scale					eExam
<input type="checkbox"/>	FBQ	T. zillii has dorsal with spines <input type="text"/>	14-16	fourteen- sixteen				eExam
<input type="checkbox"/>	FBQ	<input type="text"/> ___is a comb-like structure usually found inside the gill arches of a fish	Gill raker					eExam
<input type="checkbox"/>	FBQ	The first rule with meristic features is that the number is always <input type="text"/>	whole					eExam

<input type="checkbox"/>									
<input type="checkbox"/>	FBQ	Meristics are often combined with details on anatomy and measurements of certain features called <input type="text"/>	morphometrics						eExam
<input type="checkbox"/>	FBQ	The common name of Octopodidae <input type="text"/>	Common octopus						eExam
<input type="checkbox"/>	FBQ	The common name of Geryonidae is <input type="text"/>	shrimp						eExam
<input type="checkbox"/>	FBQ	Polypterus ansorgei P. senegalus, P. endlicheri spp belong to order <input type="text"/>	Polyperiformes						eExam
<input type="checkbox"/>	FBQ	Dasyatidae belong to the order <input type="text"/>	Rajiformes						eExam
<input type="checkbox"/>	FBQ	Artisanal fishermen to catch the young of bonga fish and the shrimps at their nursery grounds with nets of small mesh sizes less than <input type="text"/>	25mm	twenty-five millimeter					eExam
<input type="checkbox"/>	FBQ	In Nigeria, there is need to extend this limit to <input type="text"/> nautical miles of the coast for trawlers	5	five.					eExam
<input type="checkbox"/>	FBQ	In Nigeria, trawlers shall not fish within the first <input type="text"/> miles of the coast	2 nautical	two nautical					eExam
<input type="checkbox"/>	FBQ	Nigeria has adopted a cod-end mesh size of not less <input type="text"/> than when trawling for shrimps	44mm	fourty-four millimeter					eExam
<input type="checkbox"/>	FBQ	There are about <input type="text"/> cultural fish species in Nigeria	199	one hundredand ninety-nine					eExam
<input type="checkbox"/>	FBQ	The two main sub-sectors that contribute to the Nigeria's fish production are <input type="text"/> and aquaculture	capture fisheries						eExam
<input type="checkbox"/>	FBQ	Nigeria is a maritime state with the establishment of the Exclusive Economic Zone (EEZ) of <input type="text"/> nautical miles	200	Two hundred					eExam
<input type="checkbox"/>	FBQ	The <input type="text"/> is the largest living bird	Ostrich						eExam
<input type="checkbox"/>	FBQ	The bush fowl belongs to the family <input type="text"/>	Phasianidae						eExam

<input type="checkbox"/>									
<input type="checkbox"/>	FBQ	The _____ is the largest of all African lizards	Nile monitor lizard						eExam
<input type="checkbox"/>	FBQ	Pangolins are mammals with _____ reptilianlike scales	overlapping						eExam
<input type="checkbox"/>	FBQ	Gorillas have a gestation period of _____ days	255	two hundred and fifty-five					eExam
<input type="checkbox"/>	FBQ	Chiroptera means _____	'hand-winged'						eExam
<input type="checkbox"/>	FBQ	The _____ commonest insectivores in Nigeria	Soricidae						eExam
<input type="checkbox"/>	FBQ	The are primates the most adaptable intelligent group of mammals having relatively large _____	complex brains						eExam
<input type="checkbox"/>	FBQ	The _____ is the largest order of flesh eating mammals in Nigeria	carnivora						eExam
<input type="checkbox"/>	FBQ	The _____ are the largest order of Nigerian mammals	rodents						eExam
<input type="checkbox"/>	FBQ	The Nigerian mammals fall under _____ orders	thirteen	13					eExam
<input type="checkbox"/>	FBQ	Identification is accomplished by using _____	keys						eExam
<input type="checkbox"/>	FBQ	_____ is the art of making land produce sustained annual crops of wild games for food and recreational use	Wildlife management						eExam
<input type="checkbox"/>	FBQ	An individual that kills wild animals in protected areas without permission or kills protected animal species is a _____	Poacher						eExam
<input type="checkbox"/>	FBQ	Wildlife management sometime is better termed _____	wildlife conservation						eExam
<input type="checkbox"/>	FBQ	The production of the same type of fish species on the some pond is called _____	Monoculture						eExam
<input type="checkbox"/>	FBQ	_____ refers to the medium in which the fish will be raised in culture fisheries	Culture system						eExam
<input type="checkbox"/>	FBQ	The degree of alkalinity is measured by a scale called _____	pH scale						eExam

<input type="checkbox"/>								
<input type="checkbox"/>	FBQ	The <input type="text"/> refers to the presence of teeth in front margin of the upper jaw	Premaxillary					eExam
<input type="checkbox"/>	FBQ	The <input type="text"/> is a set of continuous mark or simple dots that run along the flank of a fish	lateral line					eExam
<input type="checkbox"/>	FBQ	<input type="text"/> Mouth is a structural characteristic of any particular mouth type of a fish	Protrusible					eExam
<input type="checkbox"/>	FBQ	A <input type="text"/> mouth in fish is the one located at the tip or at the extreme end of the snout	terminal					eExam
<input type="checkbox"/>	FBQ	The mouth of fish is <input type="text"/> if it is positioned below the tip of the snout or situated underneath	inferior					eExam
<input type="checkbox"/>	FBQ	Mouth of fish is said to be <input type="text"/> if it is positioned above the snout or situated directly upward.	superior					eExam
<input type="checkbox"/>	FBQ	<input type="text"/> diseases caused by germs or pathogens	Infectious					eExam
<input type="checkbox"/>	FBQ	Improper diet such as deficiency or imbalance in the nutrient composition of feeds is called <input type="text"/> disease	Nutritional					eExam
<input type="checkbox"/>	FBQ	The mechanisms that enhancement of production and for variability of ecosystem structures On the continental shelf are <input type="text"/>	External Wave	Wave				eExam
<input type="checkbox"/>	MCQ	What are Meristics Characteristics of a fish?	Internal features	External features	Explainable features	Countable features	D	eExam
<input type="checkbox"/>	MCQ	What variable number is always is the first rule with meristic features?	indiscrete variable	discrete variable	Complex variable	complicated variable	B	eExam
<input type="checkbox"/>	MCQ	What variable number is always is the first rule with meristic features?	indiscrete variable	discrete variable	Complex variable	complicated variable	B	eExam
<input type="checkbox"/>	MCQ	Which of these is the largest of all African lizards	Nile Crocodile	Bush Fowl	Crocodylus niloticus	Nile monitor lizard	D	eExam
<input type="checkbox"/>	MCQ	A fish having the same type or shape of teeth all through can be said to be what in dentition	Homogeneous in dentition	Heterodont in dentition	Homodont in dentition	Homogeneous in dentition	C	eExam
<input type="checkbox"/>	MCQ	The bush fowl belongs to the which family?	Megadermatidae	Suidae	Phasianidae	tragulidae	C	eExam

<input type="checkbox"/>								
<input type="checkbox"/>	MCQ	The presence of teeth in front margin of the upper jaw is refers to as	Maxillary	Premaxillary	Mandibular	Vomerine	B	eExam
<input type="checkbox"/>	MCQ	Which of the following are both arboreal and terrestrial?	Buffalo	Chimpanzees	Gorilla	cheetah	B	eExam
<input type="checkbox"/>	MCQ	Which of these is the largest of all the primates?	Buffalo	Chimpanzees	Gorilla	cheetah	C	eExam
<input type="checkbox"/>	MCQ	What is the largest order of Nigerian mammals having nine families, 37 genera and 55 species?	The lions	The leopards	The bush bucks	The Tiger	C	eExam
<input type="checkbox"/>	MCQ	Restriction of fishing to certain areas of the coast is called	Close area	ReatRICTed area	Limited area	limited space	A	eExam
<input type="checkbox"/>	MCQ	How many cultural fish species do we have in Nigeria?	115	250	150	199	D	eExam
<input type="checkbox"/>	MCQ	In aquaculture production..... alone accounts for over 60% of the total cost.	fish storage	Labour	fish feeding	fish net	C	eExam
<input type="checkbox"/>	MCQ	The series of replacements of one community by another IS called?	Growth	Succession	Regeneration	Reproduction	B	eExam
<input type="checkbox"/>	MCQ	What is the cod-end mesh size adopted in Nigeria when trawling for fish?	55mm	60mm	76mmmm	85mm	C	eExam
<input type="checkbox"/>	MCQ	A set of continuous mark or simple dots that run along the flank of a fish is called.	lateral line	continuous line	flank line	fish line	A	eExam
<input type="checkbox"/>	MCQ	The main stay of the industrial inshore demersal fishery Off the Nigerian coast which fish is?	the croaker auna	the bonga	the catfish	the tilapia	A	eExam
<input type="checkbox"/>	MCQ	The study of fresh water ecosystems is known as	limnology	Aqualogy	ecology	waterology	A	eExam
<input type="checkbox"/>	MCQ	How many main faunistic groups is demersal fish resources classified into?	five	three	four	seven	B	eExam
<input type="checkbox"/>	MCQ	Which fish species is the most valuable and abundant fish in the artisanal fisheries in the country	Bonga	Catfish	tilapia	sardinella	A	eExam
<input type="checkbox"/>	MCQ	identified as the panacea to the increasing demand for food fish all over the world_____	Mariculture	Fisheries	Aquaculture	Artisanal	C	eExam
<input type="checkbox"/>	MCQ	Fish is said to be_____when they are found migrating from a fresh water body into a saly water body	Catadromous	anadromous	Diadromous	Metadromous	A	eExam
<input type="checkbox"/>	MCQ	The bathypelagic zone extends from 1000 meters to _____ meters	3000	1000	2000	4000	A	eExam
<input type="checkbox"/>	MCQ	The abyssopelagic zone extends from _____ meters to the bottom	1000	2000	3000	4000	C	eExam

<input type="checkbox"/>								
<input type="checkbox"/>	MCQ	Evolution and the Study of Fish is known as_____	Aquatology	Ichthyology	Fishology	Meristology	B	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	Diseases caused by germs or pathogens such as bacteria, fungi or viruses is called_____	Non-Infectious diseases	Infectious Diseases	pathogenic diseases	contagious diseases	B	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	The elimination of most nitrogen waste products in land animals is performed through the	Lung	Fills	kidneys	Rakers	C	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	Fish are said to be _____when they are found migrating from a salt water body like brackish water into a fresh water body	Catadromous	anadromous	Diadromous	Metadromous	B	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	the presence of teeth on the pharyngeal bones at the back of the mouth on the ventral and dorsal plates	Vomerine	Maxillary	Premaxillary	Mandibular	A	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	_____refers to the presence of teeth in front margin of the upper jaw	Vomerine	Maxillary	Premaxillary	Mandibular	C	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	Teeth that are present on the sides of the lower jaw of the fish is called	Vomerine	Maxillary	Premaxillary	Mandibular	D	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	The_____is a set of continuous mark or simple dots that run along the flank of a fish	inferior	upper	superior	lateral line	C	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	A _____mouth in fish is the one located at the tip or at the extreme end of the snout	inferior	terminal	superior	lateral	B	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	The mouth of fish is _____if it is positioned below the tip of the snout or situated underneath	inferior	upper	superior	lateral	A	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	Mouth of fish is said to be _____if it is positioned above the snout or situated directly upward	inferior	terminal	superior	lateral	C	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	A comb-like structure usually found inside the gill arches of a fish is a	Gill arches	Gill filament	Gill raker	Gill sweeper	C	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	_____are countable features that are useful to scientists and fish keepers in identifying their fish	Placoid	Meristics	Dentation	Ctenoid	B	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	In Nigeria, trawlers shall not fish within the first _____miles of the coast	1 nautical	2 nautical	3 nautical	4 nautical	B	<input type="button" value="eExam"/>
<input type="checkbox"/>	MCQ	Nigeria has adopted a cod-end mesh size of not less _____than when trawling for fish	86mm	76mm	66mm	56mm	B	<input type="button" value="eExam"/>

<input type="checkbox"/>	MCQ	There are about _____cultural fish species in Nigeria cultural fish species in Nigeria	225	199	144	205	B	eExam
<input type="checkbox"/>	MCQ	The two main sub-sectors that contribute to the Nigeria's fish production arefisheries and aquaculture	artisanal	marine	capture	brackish	C	eExam
<input type="checkbox"/>	MCQ	Nigeria is a maritime state with the establishment of the Exclusive Economic Zone (EEZ) of _____ nautical miles	100	200	300	400	B	eExam
<input type="checkbox"/>	MCQ	The _____is the largest living bird	The Bush-Fowl	Ostrich	Eagles	Vultures	B	eExam
<input type="checkbox"/>	MCQ	The bush fowl belongs to the family	Megadermatidae	Suidae	Phasianidae	tragulidae	C	eExam
<input type="checkbox"/>	MCQ	The _____is the largest of all African lizards	Nile Crocodile	Bush Fowl	Crocodylus niloticus	Nile monitor lizard	D	eExam
<input type="checkbox"/>	MCQ	_____are mammals with overlapping reptilianlike scales	bats	hares	Pangolins	rabbits	C	eExam
<input type="checkbox"/>	MCQ	Gorillas have a gestation period of _____ days	223	233	245	255	D	eExam
<input type="checkbox"/>	MCQ	Chiroptera means _____	hind-winged	hand-winged	ringed-winged	leg-winged	A	eExam
<input type="checkbox"/>	MCQ	The commonest insectivores in Nigeria is called _____	Tenrecidae	Erinaceidae	Soricidae	Geratae	C	eExam
<input type="checkbox"/>	MCQ	The _____are the most adaptable intelligent group of mammals having relatively large complex brains	PROBOSCIDEA	Ruminantia	Primates	C	C	eExam
<input type="checkbox"/>	MCQ	An elephant delivers a single offspring after a period of _____ months	20months	21months	22months	23months	C	eExam
<input type="checkbox"/>	MCQ	The _____ is the largest of all the primates	Buffalo	Chimpanzees	Gorilla	cheetah	C	eExam
<input type="checkbox"/>	MCQ	_____are arboreal and terrestrial	Buffalo	Chimpanzees	cheetah	Gorilla	B	eExam
<input type="checkbox"/>	MCQ	The order primates contain over _____ species of animals	600	700	800	850	B	eExam
<input type="checkbox"/>	MCQ	There are _____ species of Artiodactyla in Nigeria	thirty-one	thirty-two	thirty-three	thirty-four	B	eExam
<input type="checkbox"/>	MCQ	The _____ Antelope is probably the most magnificent antelope of the Nigerian savannahs	Kob	Roan	Duiker	Buffalo	B	eExam

<input type="checkbox"/>								
<input type="checkbox"/>	MCQ	The _____ is the tallest of all living mammals	cheetah	Lion	Hippopotamus	giraffe	D	eExam
<input type="checkbox"/>	MCQ	An enormous semi-aquatic mammal with a large head, solid barrel shaped body and short thickset legs is called	cheetah	Lion	Hippopotamus	giraffe	C	eExam
<input type="checkbox"/>	MCQ	The fastest land animal in the world and can run up to 120km per hour over a short distance is _____	Leopard	squirrel	cheetah	Lion	C	eExam
<input type="checkbox"/>	MCQ	The _____ is the largest of the West African cats and lives in the grasslands	Leopard	squirrel	cheetah	Lion	D	eExam

Showing 1 to 120 of 120 entries

Previous 1 Next