

eExam Question Bank

Coursecode:

Choose Coursecode

Show entries

Search:

<input type="checkbox"/>	Question Type	Question	A	B	C
<input type="checkbox"/>	FBQ	Five dices are tossed together <input type="text"/> is total number of outcome expected from this experiment	7776		
<input type="checkbox"/>	FBQ	The number of admitted Nursing students of NOUN in five states are 28, 35,25,30,27 <input type="text"/> is the range of the admitted Nurses in five states	10	Ten	
<input type="checkbox"/>	FBQ	The lowest score in ungrouped data is the <input type="text"/>	minimum value		
<input type="checkbox"/>	FBQ	Fifty Biology students were asked how often they attended the staff clinic during the last year. They gave the following responses as represented in table 1 of the text. <input type="text"/> number of students attended the clinic thrice or more	20	Twenty	
<input type="checkbox"/>	FBQ	The highest score in ungrouped data is the <input type="text"/>	maximum value		
<input type="checkbox"/>	FBQ	It is important to note that manpower requirement varies from hospital to hospital depending on factors such as <input type="text"/>	strike	salary	
<input type="checkbox"/>	FBQ	NPI has the responsibility to effectively control <input type="text"/> through house to house immunization	polio	poliomyelitis	
<input type="checkbox"/>	FBQ	The difference between the largest and smallest scores of ungrouped data is the <input type="text"/>	Range		
<input type="checkbox"/>	FBQ	Simple random sampling is an example of <input type="text"/> techniques	sample	sampling	
<input type="checkbox"/>	FBQ	NPI is a parastatal under <input type="text"/>	FMOH	Federal ministry of health	
<input type="checkbox"/>	FBQ	<input type="text"/> _is a repetitive activity carried out for an expected result	Experiment		
<input type="checkbox"/>	FBQ	The number of admitted Nursing students of NOUN in ten states are [28,35,25,30,27,45,30,22,40,30]. The mean of admitted Nursing students in the ten states is <input type="text"/>	31.2		
<input type="checkbox"/>	FBQ	If two dices are tossed together, the probability of having a multiple of 30 is <input type="text"/>	08/01/2012 00:00:00		
<input type="checkbox"/>	FBQ	If two dices are tossed, the probability of having sum of 7 is <input type="text"/>	06/01/2012 00:00:00		
<input type="checkbox"/>	FBQ	The mode of the following data; [6, 5,20,4,10,12,14, 10] is <input type="text"/>	10		
<input type="checkbox"/>	FBQ	The median of the following data:[7,3,10,6,4,10,10] is <input type="text"/>	7		
<input type="checkbox"/>	FBQ	Write out the full meaning of USAID <input type="text"/>	United States Agency for International Development		

<input type="checkbox"/>				
<input type="checkbox"/>	FBQ	Write out the full meaning of NHMIS <input type="text"/>	Nigerian Health Management Information System	
<input type="checkbox"/>	FBQ	Write out the full meaning of CHAN <input type="text"/>	Christian Health Association of Nigeria	
<input type="checkbox"/>	FBQ	Write out the full meaning of CDC <input type="text"/>	Centre for disease control	
<input type="checkbox"/>	FBQ	Write out the full meaning of EPI <input type="text"/>	Expanded programme on immunization	
<input type="checkbox"/>	FBQ	The main goal of any research is to discover answers to questions through the application of <input type="text"/> procedures	scientific	
<input type="checkbox"/>	FBQ	<input type="text"/> is a government data collection system in which the demographic and socio-economic characteristics of all or a part of the population are continuously recorded	civil register	
<input type="checkbox"/>	FBQ	A single member of a population is referred to as <input type="text"/>	element	
<input type="checkbox"/>	FBQ	In Nigeria, the first census of the colony of <input type="text"/> was taken in 1866	Lagos	
<input type="checkbox"/>	FBQ	The 1787 <input type="text"/> constitution made provision for a national census every 10 years	American	
<input type="checkbox"/>	FBQ	Hemoglobin is one of the five variables measured in <input type="text"/>	physiology	
<input type="checkbox"/>	FBQ	Probability is not the <input type="text"/> of possibility of an event	degree	
<input type="checkbox"/>	FBQ	Descriptive measurement obtained from a whole population is termed as <input type="text"/>	parameter	
<input type="checkbox"/>	FBQ	Periodicity and universality are important characteristics of <input type="text"/>	census	
<input type="checkbox"/>	FBQ	The mode is the observation with the <input type="text"/> frequency in a series of observations	highest	
<input type="checkbox"/>	FBQ	Descriptive statistics is important in preliminary analysis of data prior to the use of more rigorous <input type="text"/> analysis	statistical	
<input type="checkbox"/>	FBQ	Age is an example of <input type="text"/> variables	discrete	
<input type="checkbox"/>	FBQ	The type of questions and the ways questions are asked depend on the type of <input type="text"/> being carried out	research	
<input type="checkbox"/>	FBQ	There are three main sources of data collection: observations, interviews and <input type="text"/>	documentary	
<input type="checkbox"/>	FBQ	The method of <input type="text"/> collection depends on the nature of the research being undertaken	data	
<input type="checkbox"/>	FBQ	Demographers and other social scientists often use <input type="text"/> surveys to acquire information about a segment of a population	sample	
<input type="checkbox"/>	FBQ	It is expensive and time <input type="text"/> to interview everyone in a country	consuming	

<input type="checkbox"/>				
<input type="checkbox"/>	FBQ	A group of twenty (31) post graduate students sat for the second semester examination and scored the following marks in biostatistics: 57,57,52,56,54,58,34,57,54,44,57,61,21,36,57,45,47,38,48,51,60,61,65,51,75,58,54,51,45,25,56 _____ is the mode of the data	57	
<input type="checkbox"/>	FBQ	A group of twenty (31) post graduate students sat for the second semester examination and scored the following marks in biostatistics: 52,56,54,58,34,57,54,44,57,61,21,36,57,45,47,38,48,51,60,61,65,51,75,58,54,51,45,25,56 _____ is the range of the data	54	
<input type="checkbox"/>	FBQ	The goal of experimental study is to establish some sort of _____ between two or more variables	relationship	
<input type="checkbox"/>	FBQ	A variable that changes in response is a _____ variable	dependent	
<input type="checkbox"/>	FBQ	A variable which is postulated as a necessary or causal factor in a given relation is termed _____ variable	independent	
<input type="checkbox"/>	FBQ	The word "census" originated from the Latin word _____ meaning to "value or tax"	censere	
<input type="checkbox"/>	FBQ	(Standard deviation X 100)/ arithmetic mean is the formular for _____	Coefficient of relative variation	
<input type="checkbox"/>	FBQ	Bar chart is a sample of _____ chart (population)	statistical	
<input type="checkbox"/>	FBQ	Provision of primary, secondary and tertiary _____ care facilities is one of the four common areas of emphasis by past health plans	health	
<input type="checkbox"/>	FBQ	Five variables measured in physiology are: hemoglobin, life span of red blood cells, and pulse rate of an elderly woman, blood pressure of an adult man, normal body temperature of a child and _____	radiography	
<input type="checkbox"/>	FBQ	The goal of NIGEP is to eradicate _____ disease year 1995	Ginea worm	
<input type="checkbox"/>	FBQ	A sample is referred to as a fractional part / sub-set of the entire _____	population	
<input type="checkbox"/>	FBQ	Application of science of statistics to solve various _____ problems is known as Biostatistics.	Medical/Health	
<input type="checkbox"/>	FBQ	The word HEALTH can be written in _____ number of ways	720	
<input type="checkbox"/>	FBQ	If four coins and a die are flipped in succession, then the number of possible outcomes is _____	96	
<input type="checkbox"/>	FBQ	The square of standard deviation is referred to as _____	Variance	
<input type="checkbox"/>	FBQ	_____ data is a firsthand data collected from the source by the researcher e.g. Questionnaire, information, data from observation or interviewers	Primary	
<input type="checkbox"/>	FBQ	A _____ is a selection of n distinct objects without regard to order	Combination	
<input type="checkbox"/>	FBQ	If Seven Doctors assembled for a meeting, shake hands with one another, _____ number of handshakes take place	5040	
<input type="checkbox"/>	FBQ	_____ is a part of the sample space, it is any possible subset of the sample space	event	
<input type="checkbox"/>	FBQ	An outcome is the possible results of an _____	experiment	
<input type="checkbox"/>	FBQ	A _____ is the total collection of all the possible outcomes of an experiment	Sample space	

<input type="checkbox"/>					
<input type="checkbox"/>	MCQ	In Nigeria, the first census of the colony of Lagos was taken in	1666	1766	1866
<input type="checkbox"/>	MCQ	One of the following is a probability sample	quota	purposive	accidental
<input type="checkbox"/>	MCQ	An essential part of the technical process in the statistical analysis of data includes all of the following except	decoration	fixation	tubulation
<input type="checkbox"/>	MCQ	The 1787 American constitution made provision for a national census every	20 years	10 years	6 years
<input type="checkbox"/>	MCQ	Out of 1000 families with 4 children each, how many would you expect to have at least 1 boy, given that the probability of a female birth is 0.5	520	840	938
<input type="checkbox"/>	MCQ	Fifty Biology students were asked how often they attended the staff clinic during the last year. They gave the following responses as represented in table 1. How many of the students attended the clinic only twice ?	16	17	20
<input type="checkbox"/>	MCQ	the following are some of the problems that militate against accurate census except	attitudinal	organizational	experimental
<input type="checkbox"/>	MCQ	Problems of experimental survey include all but one of the following	illness	before-after	changes
<input type="checkbox"/>	MCQ	__is the technical procedure by which data are categorized	summation	collection	naming
<input type="checkbox"/>	MCQ	All of the following are examples of graphs except	pie chart	cumulative frequency polygon	none of the above
<input type="checkbox"/>	MCQ	Find the median of the following data;6,5,20,4,10,12.	1	4	6
<input type="checkbox"/>	MCQ	find the median of the following data:[7,3,10,6,4].	1	4	6
<input type="checkbox"/>	MCQ	Probability is the degree of possibility of an event.	Not sure	1	none of the above
<input type="checkbox"/>	MCQ	Descriptive measurement obtained from a whole population is termed as.	statistic	sample	quota
<input type="checkbox"/>	MCQ	As a result of reformation and restructuring, the then EPI was renamed as.	USAID	NPI	CDC
<input type="checkbox"/>	MCQ	The five key resources of an organization includes the following except.	Manpower	Material	Money
<input type="checkbox"/>	MCQ	Diphthcria, Pertusis and Tetanus diseases are prevented with the use of a Vaccine called.	DPT	RIV	OPV
<input type="checkbox"/>	MCQ	Manpower planning should form an integral part of five organizational structures.	1	not sure	either TRUE OR FALSE
<input type="checkbox"/>	MCQ	the difference between Largest and Lowest values on a set of observation is called .	range	variance	group
<input type="checkbox"/>	MCQ	The following are graphical presentations except.	histogram	tabular	pie chart
<input type="checkbox"/>	MCQ	NPI has the responsibility to effectively control through immunization and provision of vaccines the occurrence of the following diseases except	Tuberculosis	poliomyelitis	Tetanus
<input type="checkbox"/>	MCQ	NPI is a parastatal under .	EPI	none of the above	LGA
<input type="checkbox"/>	MCQ	In all aspects of health manpower planning the following are essential resources except.	Funds	Personnel in right quality and quantity	constant information flow and reliable biostatistics
<input type="checkbox"/>	MCQ	It is important to note that manpower requirement varies from hospital to hospital depending on factors such as:.	Geographical location	Intensity of acute care	striking Doctors

<input type="checkbox"/>					
<input type="checkbox"/>	MCQ	According to WHO recommended standards and the projected population worked out in the following mathematical formula. The desired type of staff to population and determined by population base e.g. One Nurse to 2000 people in a population of 2,000,000 people will translate to.....number of Nurses.	1000	2000	3000
<input type="checkbox"/>	MCQ	The number of admitted Nursing students of NOUN in five states are 28, 35,25,30,27. What is the range of the admitted Nurses in five states?	5	11	2
<input type="checkbox"/>	MCQ	The number of admitted Nursing students of NOUN in five states are 28, 35,25,30,27. Find the mean of admitted Nursing students in the five states.	30	25	40
<input type="checkbox"/>	MCQ	Two dices are tossed together, what is the probability of having a multiple of 12.	03/01/2012 00:00:00	09/01/2012 00:00:00	03/02/2012 00:00:00
<input type="checkbox"/>	MCQ	Two dices are tossed, what is the probability of having sum of 5.	02/01/2012 00:00:00	03/01/2012 00:00:00	09/01/2012 00:00:00
<input type="checkbox"/>	MCQ	The following are sample techniques except.....	Simple random	Systematic random	descriptive
<input type="checkbox"/>	MCQ	Advantages of interview include all but one of the following.	can be used with all segments of the population	yields a better sample of the general population	yields a higher return compared to mail questionnaire
<input type="checkbox"/>	MCQ	The main goal of any research is to discover answers to questions through the application of scientific procedures.	1	not sure	all of the above
<input type="checkbox"/>	MCQ	----- is a government data collection system in which the demographic and socio-economic characteristics of all or a part of the population are continuously recorded.	civil register	statistics	data system
<input type="checkbox"/>	MCQ	One of these is an attitudinal problem encountered during census operations.	Poor logistics	Politicization of census operations which often lead to double counting and over enumeration	Lack of up to date maps
<input type="checkbox"/>	MCQ	The basic statistics normally obtained in a complete census are the following except .	age	sex	education
<input type="checkbox"/>	MCQ	Twenty students obtained the following marks in an examination: 60,69,56,75,57,65,54,51,47,65,45,38,61,44,36,48,54,25,33,37. Calculate the mode .	51/57	56/57	51/54
<input type="checkbox"/>	MCQ	Twenty students obtained the following marks in an examination: 60,69,56,75,57,65,54,51,47,65,45,38,61,44,36,48,54,25,33,37 Calculate median score.	52.5	53.5	54.5
<input type="checkbox"/>	MCQ	Twenty students obtained the following marks in an examination: 60,69,56,75,57,65,54,51,47,65,45,38,61,44,36,48,54,25,33,37. Calculate the mean score.	50	51	52
<input type="checkbox"/>	MCQ	Advantages of questionnaire include all but one of the following:.	It can be sent through mail	It is impersonal	Requires less skill to administer than an interview
<input type="checkbox"/>	MCQ	The United Nations recommend that census should seek all but one of the following information.	Fertility	Age, sex, marital status	Ill-health
<input type="checkbox"/>	MCQ	All but one of the following are examples of graphs.	bar charts	histogram	pie chart
<input type="checkbox"/>	MCQ	Range, interquartile range, variance, standard deviation and co-efficient of relative variation are all examples of what.	measures of central tendency	measures of variability	measures of averages
<input type="checkbox"/>	MCQ	An essential part of the technical process in the statistical analysis of data .	tubulation	tabulation	fixation

<input type="checkbox"/>	MCQ	.----- is the technical procedure by which data are categorized.	coding	naming	collection
<input type="checkbox"/>	MCQ	One of the following is a probability sample.	quota	accidental	Cluster
<input type="checkbox"/>	MCQ	A single member of a population is referred to as.	population element	population helment	population study
<input type="checkbox"/>	MCQ	Problems of experimental survey include all but one of the following.	illness	refuse further participation	before-after
<input type="checkbox"/>	MCQ	Some of the problems that militate against accurate census are the following except.	organizational	experimental	attitudinal
<input type="checkbox"/>	MCQ	In Nigeria, the first census of the colony of Lagos was taken in .	1766	1866	1966
<input type="checkbox"/>	MCQ	The 1787 American constitution made provision for a national census every.	5years	6years	10years
<input type="checkbox"/>	MCQ	The first modern census that is, a continuing complete count taken accurately at regular intervals began in	Sweden in 1749	Sweden in 1769	Norway and Denmark in 1749
<input type="checkbox"/>	MCQ	The United Nations recommends that the census should seek the following information except	Age	Nationality	Sex
<input type="checkbox"/>	MCQ	In census, the approach whereby each individual is counted at the place he is found at the time of the census is called	de jure	de facto	de jury
<input type="checkbox"/>	MCQ	Coefficient of variation is	9Arithmetic mean X 100)/Standard Deviation	(Standard mean X 100)/Arithmetic Deviation	9Variance X 100)/Standa Deviation
<input type="checkbox"/>	MCQ	The scores of 5 students in an examination are: 6, 5, 8, 7 and 4. Find the standard deviation	sq. of 2	sq. of 3	sq. of 2.5
<input type="checkbox"/>	MCQ	The scores of 5 students in an examination are: 6, 5, 8, 7 and 4. Find the variance	2	3	2.5
<input type="checkbox"/>	MCQ	The difference between the largest and smallest scores of ungrouped data is the---	range	median	mode
<input type="checkbox"/>	MCQ	All qualitative variables are measured on ----- scale	ordinal	norminal	interval
<input type="checkbox"/>	MCQ	The two types of statistics are __	Numerical and symbolic statistics	Random and stratified statistics	Descriptive and inferenti: statistics
<input type="checkbox"/>	MCQ	The scientific method for collection, summarization, presentation, analysis and interpretation of data is called __	Biostatistics	Chemical Pathology	Investigation

Showing 1 to 120 of 120 entries

Previous **1** Next